# ISEGA - Forschungsund Untersuchungs-Gesellschaft mbH **Aschaffenburg**





63704 Aschaffenburg, Postfach 100565 63741 Aschaffenburg, Zeppelinstr. 3-5 Telefon +49 (0) 60 21 / 49 89-0 Telefax +49 (0) 60 21 / 49 89-30 E-Mail: info@isega.de http://www.isega.de

Aschaffenburg, 15 December 2014

From:

Höfert

pf

REPORT

Order No.:

5129/16

Page 1 of

7 pages

Client:

Devon Valley Ltd.

Station Road

Hele, Exeter, Devon EX5 4PL / Great Britain

Date of order:

15 October 2014

Receipt of sample material:

16 October 2014

Origin of sample material:

From the client

Purpose:

Analysis of a filter paper grade for its compliance with the

demands on food contact materials

Officially certified food chemist

Deutsche

Akkreditierungsstelle D-PL-14160-01-01 D-PL-14160-01-02

D-ZE-14160-01-00

The present report refers exclusively to the samples as laid out therein. Information and statistical data on the results can be obtained on request.

Page 2 of 7 pages Date: 15 December 2014 ISEGA - Forschungs- und Untersuchungs-Gesellschaft mbH Aschaffenburg Order No.: 5129/16 of 15 October 2014

### Sample Material

For analysis the following sample material was in hand:

Filter paper grade without further designation

#### **Carrying out of the Tests**

Examination period:

21 October 2014 to 12 December 2014

### 1. Determination of the Grammage \*

The determination was performed by analogy with DIN EN ISO 536 after conditioning of the sample at 23 °C / 50 % atmospheric humidity which is prescribed as norm climate.

Result:

20.0

g/m² ≙

18.08.14 g dry matter/m<sup>2</sup>

#### 2. Determination of the Moisture Content \*

The determination was performed according to DIN EN ISO 638 directly after unpacking the sample.

Result:

5.8

%

### 3. Preparation of Extracts \*

The extracts were prepared according to the "Methods for the examination of consumer goods" following the method B 80.56 of the Official Collection of Analytical Methods according to § 64 LFGB and according to the demands of the standards EN 645, EN 647 and EN 15519.

Water:

2 hours at 80 °C

Isooctane:

2 hours at 60 °C

# 4. Determination of the Dry Matter in the Water Extract \*

The dry matter was determined according to DIN EN 920 after drying at 105 °C.

Result:

0.9

 $mg/dm^2 \triangleq 4.8$ 

mg/g dry matter

Page 3 of 7 pages Date: 15 December 2014 ISEGA - Forschungs- und Untersuchungs-Gesellschaft mbH Aschaffenburg
Order No.: 5129/16 of 15 October 2014

# 5. Determination of Methanal (Formaldehyde) in the Water Extract \*

The determination was performed photometrically according to the acetylacetone method in conformity with DIN EN 1541. The requirements of the method B 82.02-1 indicated in the Official Collection of Analytical Methods according to § 64 of the LFGB for consumer goods were observed.

Result:

0.0018

 $mg/dm^2 \triangleq 0.010$ 

010 mg/

mg/g dry matter

### 6. Determination of Glyoxal in the Water Extract \*

The determination was performed according to the DIN 54603. The demands of the method no. 4.3.2.2. of the loose-sheet collection "Examination of papers and boards intended for food packaging according to the German Recommendation XXXVI" are taken into consideration.

Result:

not determinable

< 0.005

mg/g dry matter

### 7. Specific Determination of Primary Aromatic Amines in the Water Extract \*

The determination was performed according to the draft standard by means of HPLC and MS detection in the water extract. The following primary aromatic amines were taken into consideration during the determination:

Aniline

4-Aminodiphenyl

Benzidine

4-Chloro-o-toluidine

2-Naphthylamine

o-Aminoazotoluene

2-Amino-4-nitrotoluene

4-Chloroaniline

2,4-Diaminoanisole

4,4'-Diaminodiphenylmethane

3.3'-Dichlorobenzidine

3,3'-Dimethoxybenzidine

2,4-Dimethylaniline

1,3-Phenylene diamine

5-Chloro-2-methoxyaniline

4-Chloro-2,5-dimethoxyaniline

2,6-Toluene diamine

3,3'-Dimethylbenzidine

3,3'-Dimethyl-4,4'-diaminodiphenylmethane

p-Cresidine

4,4'-Methylene-bis(2-chloroaniline)

4,4'-Oxydianiline

4,4'-Thiodianiline

o-Toluidine

p-Toluidine

2,4-Toluylenediamine

2,4,5-Trimethylaniline

o-Anisidine

4-Aminoazobenzene

2,4-Dichloraniline

p-Aminoanisanilide

2-Methoxy-4-nitroaniline

5-Chloro-2-methylaniline

3-Amino-4-methylbenzamid

If not stated differently in the following, the above mentioned primary aromatic amines were not detectable (limit of detection: 0.002 mg/kg water extract).

#### Result in mg/kg water extract:

In the water extract of this sample no aromatic amines were detectable.

### 8. Determination of the Nitrogen Content in the Water Extract \*

After the Kjeldahl disintegration a water vapour distillation was made. The ammonium nitrogen was determined photometrically according to DIN 38 406 - E5 - 1.

Result:

0.018

 $ma/dm^2 \triangleq 0.093$ 

mg/g dry matter

### 9. Determination of Pentachlorophenol (PCP) in the Water Extract \*

The analysis was made according to DIN EN ISO 15320 by means of gas chromatography in the water extract after concentration at a column and esterification. The detection was performed by means of ECD.

Result:

not determinable

< 0.01

mg/kg dry matter

#### 10. Determination of the Heavy Metals Contents in the Water Extract \*

The determination was performed according to DIN EN 12497 and DIN EN 12498.

Result in mg/kg dry matter:

Cadmium

(Cd):

not determinable

< 0.05

Mercury

(Hg):

not determinable

< 0.025

Lead

(Pb):

not determinable

< 0.5

Chromium

(Cr):

not determinable

< 0.1

# 11. Determination of the Dry Matter in the Organic Solvent Extract \*

The dry matter was determined according to DIN EN 1186 after drying at 105 °C.

Result:

0.2

 $mg/dm^2 \triangleq 1.0$ 

mg/g dry matter

#### 12. IR-Spectroscopic Testing of the Dry Matters from the Water and the Organic Solvent Extract \*

The dry matters were ground up with KBr and examined by IR-spectroscopy.

Result:

Substances which might endanger health as well as deviations from the composition stated, which are detectable by this method, were not found.

Page 5 of 7 pages Date: 15 December 2014

#### 13. Determination of Polychlorinated Biphenyls (PCB) \*

The determination was performed according to DIN EN ISO 15318 by means of gas chromatography. The demands of the method B 80.56-1 within the Official Collection of Analytical Methods according to § 64 LFGB for consumer goods are considered. The numbers refer to the Ballschmiter nomenclature.

#### Result in mg/kg dry matter:

18	2,2',5-Trichlorobiphenyl	not determinable	<	0.01
28	2,4,4'-Trichlorobiphenyl	not determinable	<	0.01
52	2,2',5,5'-Tetrachlorobiphenyl	not determinable	<	0.01
101	2,2',4,5,5'-Pentachlorobiphenyl	not determinable	<	0.01
138	2,2',3,4,4',5'-Hexachlorobiphenyl	not determinable	<	0.01
153	2,2',4,4',5,5'-Hexachlorobiphenyl	not determinable	<	0.01
180	2,2',3,4,4',5,5'-Heptachlorobiphenyl	not determinable	<	0.01

#### 14. Determination of the Transfer of Antimicrobial Constituents \*

The determination was made according to DIN EN 1104. Test specimen of a diameter of 10 mm were placed onto an inoculated nutrient medium and then incubated. The inhibition zone is indicated as total diameter (including the test specimen).

#### Result:

with Aspergillus niger: no inhibition zone with Bacillus subtilis: no inhibition zone

i.e.: a transfer of antimicrobial constituents was not detected.

#### 15. Test for Fluorescent Substances \*

The test was made by UV irradiation.

Result: The sample did not contain contained optically brightened fibres.

#### 16. <u>Determination of Anthraguinone \*</u>

The determination was performed according to SOP 160.200 out of an ethanol extract by means of gas chromatography and mass spectrometric detection.

Result: not determinable < 0.13 mg/kg dry matter ISEGA - Forschungs- und Untersuchungs-Gesellschaft mbH Aschaffenburg Order No.: 5129/16 of 15 October 2014

### 17. Determination of the Epichlorohydrin Hydrolysis Products \*

The determination was performed after solid phase extraction by means of gas chromatography in accordance with the Official Collection of Analytical Methods according to § 64 of the LFGB, method B 80.56-2 with mass spectrometric detection.

The water extract was prepared according to DIN EN 647.

#### Result:

1,3-Dichloro-2-propanol: not detected < 2  $\mu$ g/l water extract 3-Monochloro-1,2-propanediol: 10.3  $\mu$ g/l water extract

#### 18. Determination of the Heavy Metals Contents \*

The determination was performed after microwave disintegration by AAS/hydride technique or ICP-AES, respectively.

#### Result:

Arsenic	(As):	not determinable	<	2	mg/kg
Cadmium	(Cd):	not determinable	<	0.5	mg/kg
Chromium	(Cr):	not determinable	<	1	mg/kg
Mercury	(Hg):	not determinable	<	0.25	mg/kg
Lead	(Pb):	not determinable	<	5	mg/kg

### 19. Extraction Tests According to the FDA Regulations \*

The tests were performed according to FDA 21 CFR Ch. I, § 176.170 in triplicate.

#### a) Extraction with Water

The extraction was made for 30 min at 100 °C.

Result:

0.11

mg/sq inch

Chloroform soluble portion:

The determination is not necessary as test results are already in conformity with the limit value.

Page 7 of 7 pages Date: 15 December 2014 ISEGA - Forschungs- und Untersuchungs-Gesellschaft mbH Aschaffenburg Order No.: 5129/16 of 15 October 2014

# b) Extraction with n-Heptane

The extraction was made for 30 min at 49 °C.

Result:

0.10

mg/sq inch

Chloroform soluble portion:

The determination is not necessary as test results are already in conformity with the limit

value.

The accreditation applies to the methods marked with \* in the test report (Register no. D-PL-14160-01-01 and D-PL-14160-01-02).

End of report